






	Netzteil S30122-K7301-D581 PS for HiPath 540/580 Power Supply for HiPath 540 / HiPath 580	Siemens Refurbished Arctic S30122-K7301-D581
	S30122-K5004-X100 IN: 110/220V; 60/50 HZ. OUT: -48V/5A; -5V/2A; +5V/20A; +12V/4.5A; +69V/0.3A	Siemens Refurbished S30122-K5004-X100
	S30122-K5042-X100-3 Power supply	Siemens Refurbished S30122-K5042-X100-3
	S30122-K5048-X100 IN: 115/230V; 50-60HZ;400/392W. OUT: +5V/9A; -5V/1.1A; +12V/2.1A; -48V/3A; -60V/0.1A; +26V/3A; -12V/0.1A 60/75 VAC /60mA(200mA)	Siemens Refurbished S30122-K5048-X100
	S30122-K5051-X100 The power supply unit S30122-K5051-X100 is deployed with the Hicom 200.	Siemens Refurbished S30122-K5051-X100
	S30122-K5083-L301 IN:AC 110V/240V; 4A/2A 50,60 Hz; DC 320/380V 2A. OUT DC: 5.1V/12A; -5.1V/0.5A; +12V/1.9A; -12V/0.1A; -48V/2.5A; 380V/ 0.3A; AC: 60/75V, 4/8VA 20/25/50 HZ	Siemens Refurbished S30122-K5083-L301
	S30122-K5083-M301 115/230V, 4.4A/2.3A 50-60Hz OUT: AC: 75V/25 Hz/16W; +5,1V 4A; +5,1V 7A; -5.1V/0,6A; +12V/1,2A; -12V/0,1A; +26V/1.6A; -48V/1.3A	Siemens Refurbished S30122-K5083-M301
	S30122-K5083-P301 115/230V, 4.0A/2.2A 50-60Hz OUT: AC: 75V, 25 Hz, 16W; +5,1V 4A; +5,1V 7A; -5.1V/0,6A; +12V/1,2A; -12V/0,05A; +26V/1.6A; -48V/1.3A	Siemens Refurbished S30122-K5083-P301
	S30122-K5083-X301 IN: 115/230V, 3.8A/1.9A 50-60HZOUT: AC: 380V, 0.2 A; +5.1V 12A; +5.1V 3A; -5V/0.5A; +12V/1.9A; -12V/0.1A; -48V/2.5A; -48V/0.25A	Siemens Refurbished S30122-K5083-X301
	S30122-K5083-X302 Power supply for Hicom 125. IN: 380V 0,2A, -48V 6A. OUT DC: +53,3/55V 1,2A; 320V 275W	Siemens Refurbished S30122-K5083-X302
	S30122-K5305-X100 IN;115/230V; 3/1,8A; 50/60 HZOUT AC: 60/75 VAC,20/25 HZ 8W; DC: +5,1V/3A; +5,1V/7A; -5,1V/0,6A; +12V/1,2A; -48V/2A; -12V/0,1A	Siemens Refurbished S30122-K5305-X100
	S30122-K5333-P401 power supply for Hicom 116 expansion stage 2/3/4. IN:230V/0.5A / 50/60HZ. OUT: +36V/1A; +5.1V/1.2A	Siemens Refurbished S30122-K5333-P401
	S30122-K5448-X312 Power supply for Hicom 112. IN: 98/264V 0.5/0.19A 50/60HZ. OUT: 5V/2A; -48V/420mA; 75VAC 20HZ/4VA	Siemens Refurbished S30122-K5448-X312

	<p>S30122-K5449-X312 PSU2 The PSU2 power supply S30122-K5449-X312 supplies the Hicom 118 with the following required voltage 5V DC, -48V DC and the call-voltage of 75Veff with 25Hz.</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5449-X312</td></tr> </table>	Siemens	Refurbished	S30122-K5449-X312
Siemens					
Refurbished					
S30122-K5449-X312					
	<p>S30122-K5450-X312 Power supply for Hicom 112. IN: 98/264V 0.5/0.19A 50/60HZ 24VDC/3A OUT: 5V/2A; -48V/420mA; 75VAC 25HZ/4VA</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5450-X312</td></tr> </table>	Siemens	Refurbished	S30122-K5450-X312
Siemens					
Refurbished					
S30122-K5450-X312					
	<p>S30122-K5451-M312 Power supply for Hicom 118. IN: 98/264V 1.37-0.51A 50-60HZ +24VAC/4A. OUT: 5V/2.5A; -48V/1.1A; 75VAC 25HZ/8VA</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5451-M312</td></tr> </table>	Siemens	Refurbished	S30122-K5451-M312
Siemens					
Refurbished					
S30122-K5451-M312					
	<p>S30122-K5451-X312 Power supply for Hicom 118. IN: 98/264V 1.37-0.51A 50-60HZ +24VAC/4A. OUT: 5V/2.5A; -48V/1.1A; 75VAC 25HZ/8VA</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5451-X312</td></tr> </table>	Siemens	Refurbished	S30122-K5451-X312
Siemens					
Refurbished					
S30122-K5451-X312					
	<p>S30122-K5658-M PSU P IN: 115/230V; 0,6/0,4A; 50-60HZOUT: +5,1V/3A; -48V/0,4A; 75VAC 20/25/50HZ, 4W. The power supply is used with the Hicom 150 OfficePoint and Hipath 3350.</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5658-M PSU P</td></tr> </table>	Siemens	Refurbished	S30122-K5658-M PSU P
Siemens					
Refurbished					
S30122-K5658-M PSU P					
	<p>S30122-K5660-A300 UPSC-D Power Supply for Hipath 3000 Wallmount-PBX with battery manager</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5660-A300</td></tr> </table>	Siemens	Refurbished	S30122-K5660-A300
Siemens					
Refurbished					
S30122-K5660-A300					
	<p>S30122-K5660-M300 UPSC-D Power Supply for Hipath 3000 Wallmount-PBX with battery manager</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5660-M300 UPSC-D</td></tr> </table>	Siemens	Refurbished	S30122-K5660-M300 UPSC-D
Siemens					
Refurbished					
S30122-K5660-M300 UPSC-D					
	<p>S30122-K5661-M PSUC The PSUC power supply S30122-K5661-M provides Siemens telephone systems with the required following voltage of 5V DC, -48V DC and the call-voltage of 75Veff .</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5661-M</td></tr> </table>	Siemens	Refurbished	S30122-K5661-M
Siemens					
Refurbished					
S30122-K5661-M					
	<p>S30122-K5837-M Power supply for Hicom 150E Office One, Hipath 3150 and HiPath 3250.</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5837-M</td></tr> </table>	Siemens	Refurbished	S30122-K5837-M
Siemens					
Refurbished					
S30122-K5837-M					
	<p>S30122-K5837-S Power supply for Hicom 116.</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5837-S</td></tr> </table>	Siemens	Refurbished	S30122-K5837-S
Siemens					
Refurbished					
S30122-K5837-S					
	<p>S30122-K5950-A100 UPSM IN: 115-230VAC 5,4-2,7A 50/60HZOUT: +5,1V/12A; -5,1V/0,5A; -55,2V/3Amax (75VAC 0,06A)</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5950-A100 UPSM</td></tr> </table>	Siemens	Refurbished	S30122-K5950-A100 UPSM
Siemens					
Refurbished					
S30122-K5950-A100 UPSM					
	<p>S30122-K5950-S100 UPSM IN: 115-230VAC 5,4-2,7A 50/60HZOUT: +5,1V/12A; -5,1V/0,5A; -55,2V/3Amax (75VAC 0,06A)</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5950-S100 UPSM</td></tr> </table>	Siemens	Refurbished	S30122-K5950-S100 UPSM
Siemens					
Refurbished					
S30122-K5950-S100 UPSM					
	<p>S30122-K5950-Y200 Battery Box 4x12V / 7 Ah Battery Box 4x12V/7Ah for Hipath systems</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K5950-Y200</td></tr> </table>	Siemens	Refurbished	S30122-K5950-Y200
Siemens					
Refurbished					
S30122-K5950-Y200					

<p>S30122-K7301-M571 PS for HiPath 540/580 Power Supply for HiPath 540 / HiPath 580</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>Arctic</td></tr> <tr><td>S30122-K7301-M571</td></tr> </table>	Siemens	Refurbished	Arctic	S30122-K7301-M571
Siemens					
Refurbished					
Arctic					
S30122-K7301-M571					
<p>S30122-K7301-X500 HiPath 540/580 Power Supply for HiPath 540 / HiPath 580</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>Arctic</td></tr> <tr><td>S30122-K7301-D581</td></tr> </table>	Siemens	Refurbished	Arctic	S30122-K7301-D581
Siemens					
Refurbished					
Arctic					
S30122-K7301-D581					
<p> S30122-K7373-M900 UPSC-DR Power Supply UPSC-DR for HiPath 3300 and HiPath 3500</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K7373-M900</td></tr> </table>	Siemens	Refurbished	S30122-K7373-M900	
Siemens					
Refurbished					
S30122-K7373-M900					
<p> S30122-K7686-M1 LUNA2 Power Supply for HiPath 3800 and AP 3700 IP</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30122-K7686-M1 LUNA2</td></tr> </table>	Siemens	Refurbished	S30122-K7686-M1 LUNA2	
Siemens					
Refurbished					
S30122-K7686-M1 LUNA2					
<p> S30177-U773-X PB3000 Powerbox The Power Box PB3000 is a compatible new-generation line of product fort he extension box EBR. Not applicable to the HiPath 3700 and HiPath 3750.</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>Green</td></tr> <tr><td>S30177-U773-X</td></tr> </table>	Siemens	Refurbished	Green	S30177-U773-X
Siemens					
Refurbished					
Green					
S30177-U773-X					
<p> S30777-U711-E901 EBR The extension box EBR is intended for the use within a 19" shelf for the following systems; HiPath 3700, HiPath 3500 and HiPath 3300.</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30777-U711-E901</td></tr> </table>	Siemens	Refurbished	S30777-U711-E901	
Siemens					
Refurbished					
S30777-U711-E901					
<p> S30777-U711-E901 mit EPSU2-R Die Erweiterungsbox EBR wird für die HiPath 3700, HiPath 3500 und HiPath 3300 innerhalb eines 19 Zoll Schrankes eingesetzt.</p>	<table border="1"> <tr><td>Siemens</td></tr> <tr><td>Refurbished</td></tr> <tr><td>S30777-U711-E901</td></tr> </table>	Siemens	Refurbished	S30777-U711-E901	
Siemens					
Refurbished					
S30777-U711-E901					